L Number	Hits	Search Text	DB	Time stamp
-	1	("5894571").PN.	USPAT	2004/03/09 11:24
-	16	o\$1connor-clint-h.in.	USPAT; US-PGPUB	2004/03/09 11:42
_	5	("4433207" "4785361" "5371792" "5398285" "5416840").PN.	USPAT	2004/03/02 12:24
_	16	5745568.URPN.	USPAT	2003/09/26 15:00
l_	5655	((705/51-59) or (713/2,200-201)).CCLS.	USPAT;	2003/09/29 09:16
1	3000	((103/31 33) 01 (113/2/200 201)).0010.	US-PGPUB	2003/03/23 03:10
-	3018	(((705/51-59) or (713/2,200-201)).CCLS.) and @ad<19990923	USPAT; US-PGPUB	2003/09/29 09:17
_	1	("4654792").PN.	USPAT	2003/09/29 13:56
l –	1	("4685055").PN.	USPAT	2003/09/29 09:52
-	707		USPAT	2003/09/29 11:06
		<pre>program) near2 (deliver\$3 or order\$3 or protect\$3))</pre>		
_	907	((((705/51-59) or (713/2,200-201)).CCLS.)	USPAT;	2003/09/29 11:06
		and @ad<19990923) and ((software or	US-PGPUB	2003/03/23 11:00
		program) near2 (deliver\$3 or order\$3 or	05 10105	
		protect\$3 or distribut\$3))		
l _	26	(((((705/51-59) or (713/2,200-201)).CCLS.)	USPAT	2003/09/29 13:15
	20	and @ad<19990923) and ((software or	USFAI	2003/03/23 13:15
		program) near2 (deliver\$3 or order\$3 or	Ì	
		protect\$3 or distribut\$3))) and ((computer		•
_	531	or hardware) near2 serial adj number)	HODAM	2002/00/00 17 27
-		(713/189,191,193).CCLS.	USPAT	2003/09/29 17:37
-	22	((((((705/51-59) or (713/2,200-201)).CCLS.)	USPAT	2003/09/29 13:33
		and @ad<19990923) and ((software or		,
		program) near2 (deliver\$3 or order\$3 or		
		protect\$3 or distribut\$3))) and ((program		
		or software) adj ID)		
-	47	(((713/189,191,193).CCLS.) and	USPAT	2003/09/29 13:59
		@ad<19990923) and ((software or program)		
		near2 (upgrad\$3 or updat\$3))		
-	490	((713/189,191,193).CCLS.) and @ad<19990923	USPAT	2003/09/29 17:38
-	443	(((713/189,191,193).CCLS.) and	USPAT	2003/09/29 17:36
		@ad<19990923) not		
		((((713/189,191,193).CCLS.) and		
		@ad<19990923) and ((software or program)		
1		near2 (upgrad\$3 or updat\$3)))		
-	0	705/51-59.ccls and @ad<19990923	USPAT;	2003/09/29 17:32
:			US-PGPUB	
-	813	705/51-59.ccls. and @ad<19990923	USPAT;	2003/09/30 14:11
			US-PGPUB	
-	9	gilley-james-e.in.	USPAT;	2003/09/30 14:13
		- · · -	US-PGPUB	
-	5	fink-william-m	USPAT;	2003/09/30 14:13
			US-PGPUB	
-	715	(713/2).CCLS.	USPAT	2003/09/30 14:43
-	0	toh-ker-s.in.	USPAT;	2003/09/30 14:44
			US-PGPUB;	
			EPO; JPO;	·
			DERWENT;	
			IBM TDB	
_	0	lim-lay-s.in.	USPAT;	2003/09/30 14:44
			US-PGPUB;	2003/03/30 14.44
			EPO; JPO;	
		, k		
			DERWENT;	
_	o	noon-choo-s in	IBM_TDB	2002/00/20 11 11
	١	poon-chee-s.in.	USPAT;	2003/09/30 14:44
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	0	debacker-dwight-a.in.	USPAT;	2003/09/30 14:45
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	

-	0	lance-john-w.in.	USPAT; US-PGPUB;	2003/09/30 14:47
_	125	(software or program) near2 (deliver\$3 or order\$3 or distribut\$3) with ((serial adj	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/02/24 13:52
		number) or ((software or program) adj ID))	EPO; JPO; DERWENT; IBM_TDB	0000 (00 (00 14 50
_	2	<pre>(software or program) near2 (deliver\$3 or order\$3 or distribut\$3) with ((serial adj number) and ((software or program) adj ID))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/30 14:53
-	3	<pre>(software or program) near2 (deliver\$3 or order\$3 or distribut\$3 or install\$3) with ((serial adj number) and ((software or program) adj ID))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/30 14:54
-	244	order\$3 or distribut\$3 or install\$3) with ((serial adj number) or ((software or program) adj ID))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/30 15:17
_	84	((software or program) near2 (deliver\$3 or order\$3 or distribut\$3 or install\$3) with ((serial adj number) or ((software or program) adj ID))) and @ad<19990923	USPĀT	2003/09/30 15:18
-	104	((software or program) near2 (deliver\$3 or order\$3 or distribut\$3 or install\$3) with ((serial adj number) or ((software or program) adj ID))) and @ad<19990923	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/30 15:18
-	20	(((software or program) near2 (deliver\$3 or order\$3 or distribut\$3 or install\$3) with ((serial adj number) or ((software or program) adj ID))) and @ad<19990923) not (((software or program) near2 (deliver\$3 or order\$3 or distribut\$3 or install\$3) with ((serial adj number) or ((software or program)) number of (software or program) or (software or program) or ((software or program)) number of (software or program)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/30 15:18
_	247	program) adj ID))) and @ad<19990923) (717/169,172,175,177).CCLS.	USPAT; US-PGPUB	2003/10/01 11:40
-	161	((717/169,172,175,177).CCLS.) and @ad<19990923	USPAT; US-PGPUB	2004/03/01 20:22
-	89	(storage adj (device or medium)) with ((software or program or module) adj (id or identification or number)) and @ad<19990923	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/24 16:43
-	16	("4199809" "4430704" "4481578" "4538224" "4590557" "4623963" "4663707" "4720812" "4803623" "4899136" "5068780" "5083800" "5093915" "5210875" "5237689" "5307497").PN.	USPĀT	2004/03/01 20:25
_	29	5542082.URPN. ("3609697" "4433207" "4471163"	USPAT USPAT	2004/02/24 16:56
		"4683553" "4685055" "4866769" "4903296" "4932054" "4959861").PN.		
-	37	5933497.URPN.	USPAT	2004/02/25 11:54
-	118	4471163.URPN.	USPAT	2004/02/25 12:20
-	7	("4471163" "4651279" "4866769" "4888798" "5291598" "5319705" "5499295").PN.	USPAT	2004/02/25 13:07
-	6 7	5694469.URPN. ("5113518" "5230052" "5325532" "5371792" "5418918" "5459867"	USPAT USPAT	2004/02/25 13:15 2004/03/01 20:20
		"5504904").PN.		

[-	35	((program or software) adj (id or	USPAT;	2004/03/01 20:27
		identifier or number)) with (non\$1volatile	US-PGPUB;	
		adj memory) and @ad<19990923	EPO; JPO;	
		- "	DERWENT;	
			IBM TDB	
_	1	("4446519").PN.	USPAT	2004/03/02 12:24
_	130	4446519.URPN.	USPAT	2004/03/02 12:26
l _	37	("4247106" "4439670" "4446519"	USPAT	2004/03/02 12:20
_	31	ļ · · · · · · · · · · · · · · · · · · ·	USFAI	2004/03/02 13.41
i		"4484217" "4558176" "4590557"		
		"4646234" "4649510" "4654799"		
		"4658093" "4672554" "4674055"	į	
		"4740890" "4780905" "4787050"		
		"4816653" "4816654" "4817140"	:	
		"4864516" "4879645" "4949257"		
		"4999806" "5006849" "5008814"		
		"5014234" "5016009" "5051822"		
		"5056009" "5103392" "5103476"		1
	1	"5166886" "5181107" "5199066"		
		"5214697" "5222134" "5245330"		}
	1	"5267171").PN.		*
l _	6	5832083.URPN.	HCDAT	2004/03/02 14:00
-	-		USPAT	
-	60	5199066.URPN.	USPAT	2004/03/02 14:35
-	1	("6237020").PN.	USPAT	2004/03/08 17:52
-	1	("5995757").PN.	USPAT	2004/03/08 17:53
-	1	("5991543").PN.	USPAT	2004/03/08 17:56
-	1	("6247126").PN.	USPAT	2004/03/08 18:00
-	1540	(build\$1to\$1configure or btc or	USPAT;	2004/03/08 18:02
		configure\$1to\$1order or cto) and	US-PGPUB;	
		@ad<19990923	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	26	((build\$1to\$1configure or btc or	USPAT:	2004/03/08 18:08
ļ		configure\$1to\$1order or cto) and	US-PGPUB;	2004/03/00 10:00
1		@ad<19990923) and ((program or software)	EPO; JPO;	
		near3 install\$5)		
		Hears Instarras)	DERWENT;	
	10		IBM_TDB	0004/00/00 11 55
_	13		USPAT	2004/03/09 11:36
_	14	("5142680" "5210875" "5367686"	USPAT	2004/03/09 13:04
		"5418918" "5469573" "5546585"		
		"5555416" "5684996" "5692190"		1
		"5694600" "5696975" "5715456"		
		"5715463" "5717930").PN.		
-	97	(((software or program or content) adj (id	USPAT;	2004/03/09 19:01
		or identifier)) with (cd\$1rom or disk or	US-PGPUB;	
		(storage adj medium))) and @ad<19990923	EPO; JPO;	
		(====================================	DERWENT;	
			IBM TDB	·
_	9	sakamoto-emiko.in.	_	2004/03/00 10-00
		Sakamoto-emiko.in.	USPAT;	2004/03/09 19:02
			US-PGPUB;	
	}		EPO; JPO;	
			DERWENT;	
l.			IBM TDB	

	Hits	Search Text	DBs
1	1	("5894571").PN.	USPAT
2	16	o\$1connor-clint-h.in.	USPAT; US-PGPUB
3	5	("4433207" "4785361" "5371792" "5398285" "5416840").PN.	USPAT
4	16	5745568.URPN.	USPAT
5	5655	((705/51-59) or (713/2,200-201)).CCLS.	USPAT; US-PGPUB
6	3018	(((705/51-59) or (713/2,200-201)).CCLS.) and @ad<19990923	USPAT; US-PGPUB
7	1	("4654792").PN.	USPAT
8	1	("4685055").PN.	USPAT
9	707	<pre>program) near2 (deliver\$3 or order\$3 or protect\$3))</pre>	USPAT
10	907	((((705/51-59) or (713/2,200-201)).CCLS.) and @ad<19990923) and ((software or program) near2 (deliver\$3 or order\$3 or protect\$3 or distribut\$3))	USPAT; US-PGPUB
11	26	(((((705/51-59) or (713/2,200-201)).CCLS.) and @ad<19990923) and ((software or program) near2 (deliver\$3 or order\$3 or protect\$3 or distribut\$3))) and ((computer or hardware) near2 serial adj number)	USPAT
12	531	(713/189,191,193).CCLS.	USPAT
13	22	(((((705/51-59) or (713/2,200-201)).CCLS.) and @ad<19990923) and ((software or program) near2 (deliver\$3 or order\$3 or protect\$3 or distribut\$3))) and ((program or software) adj ID)	USPAT
14	47	(((713/189,191,193).CCLS.) and @ad<19990923) and ((software or program) near2 (upgrad\$3 or updat\$3))	USPAT
15	490	((713/189,191,193).CCLS.) and @ad<19990923	USPAT

	Hits	Search Text	DBs
16	443	(((713/189,191,193).CCLS.) and @ad<19990923) not ((((713/189,191,193).CCLS.) and @ad<19990923) and ((software or program) near2 (upgrad\$3 or updat\$3)))	USPAT
17	0	705/51-59.ccls and @ad<19990923	USPAT; US-PGPUB
18	813	705/51-59.ccls. and @ad<19990923	USPAT; US-PGPUB
19	9	gilley-james-e.in.	USPAT; US-PGPUB
20	5	fink-william-m	USPAT; US-PGPUB
21	715	(713/2).CCLS.	USPAT
22	0	toh-ker-s.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	0	lim-lay-s.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	0	poon-chee-s.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	0	debacker-dwight-a.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	0	lance-john-w.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	125	(software or program) near2 (deliver\$3 or order\$3 or distribut\$3) with ((serial adj number) or ((software or program) adj ID))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	2	(software or program) near2 (deliver\$3 or order\$3 or distribut\$3) with ((serial adj number) and ((software or program) adj ID))	EDO. TDO. DEDMENT.
29	3	(software or program) near2 (deliver\$3 or order\$3 or distribut\$3 or install\$3) with ((serial adj number) and ((software or program) adj ID))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	244	(software or program) near2 (deliver\$3 or order\$3 or distribut\$3 or install\$3) with ((serial adj number) or ((software or program) adj ID))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
31	84	((software or program) near2 (deliver\$3 or order\$3 or distribut\$3 or install\$3) with ((serial adj number) or ((software or program) adj ID))) and @ad<19990923	USPAT
32	104	or install\$3) with ((serial adj	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	20	(((software or program) near2 (deliver\$3 or order\$3 or distribut\$3 or install\$3) with ((serial adj number) or ((software or program) adj ID))) and @ad<19990923) not (((software or program) near2 (deliver\$3 or order\$3 or distribut\$3 or install\$3) with ((serial adj number) or ((software or program) adj ID))) and @ad<19990923)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	247	(717/169,172,175,177).CCLS.	USPAT; US-PGPUB
35	161	((717/169,172,175,177).CCLS.) and @ad<19990923	USPAT; US-PGPUB
36	89	(storage adj (device or medium)) with ((software or program or module) adj (id or identification or number)) and @ad<19990923	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
37	16	("4199809" "4430704" "4481578" "4538224" "4590557" "4623963" "4663707" "4720812" "4803623" "4899136" "5068780" "5083800" "5093915" "5210875" "5237689" "5307497").PN.	USPAT
38	29	5542082.URPN.	USPAT
39	9	("3609697" "4433207" "4471163" "4683553" "4685055" "4866769" "4903296" "4932054" "4959861").PN.	USPAT
40	37	5933497.URPN.	USPAT
41	118	4471163.URPN.	USPAT
42	7	("4471163" "4651279" "4866769" "4888798" "5291598" "5319705" "5499295").PN.	USPAT
43	6	5694469.URPN.	USPAT

.

	Hits	Search Text	DBs
44	7	("5113518" "5230052" "5325532" "5371792" "5418918" "5459867" "5504904").PN.	USPAT
45	35	((program or software) adj (id or identifier or number)) with (non\$1volatile adj memory) and @ad<19990923	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
46	1	("4446519").PN.	USPAT
47	130	4446519.URPN.	USPAT
48	37	("4247106" "4439670" "4446519" "4484217" "4558176" "4590557" "4646234" "4649510" "4654799" "4658093" "4672554" "4674055" "4740890" "4780905" "4787050" "4816653" "4816654" "4817140" "4864516" "4879645" "4949257" "4999806" "5006849" "5008814" "5014234" "5016009" "5051822" "5056009" "5103392" "5103476" "5166886" "5181107" "5199066" "5214697" "5222134" "5245330" "5267171").PN.	USPAT
49	6	5832083.URPN.	USPAT
50	60	5199066.URPN.	USPAT
51	1	("6237020").PN.	USPAT
52	1	("5995757").PN.	USPAT
53	1	("5991543").PN.	USPAT
54	1	("6247126").PN.	USPAT
55	1540	(build\$1to\$1configure or btc or configure\$1to\$1order or cto) and @ad<19990923	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
56	26	((build\$1to\$1configure or btc or configure\$1to\$1order or cto) and @ad<19990923) and ((program or software) near3 install\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
57	13	beelitz-alan-e.in.	USPAT
58	14	("5142680" "5210875" "5367686" "5418918" "5469573" "5546585" "5555416" "5684996" "5692190" "5694600" "5696975" "5715456" "5715463" "5717930").PN.	USPAT

,

	Hits	Search Text	DBs
59	97	(((software or program or content) adj (id or identifier)) with (cd\$1rom or disk or (storage adj medium))) and @ad<19990923	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
60	9	sakamoto-emiko.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
61	175	((717/169,172,175,177).CCLS.) and @ad<19990923	USPAT; US-PGPUB
62	92	(storage adj (device or medium)) with ((software or program or module) adj (id or identification or number)) and @ad<19990923	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
63	8	("4849927" "4959860" "5237616" "5563946" "5754646" "5978482" "6044157" "6314409").PN.	USPAT
64	16	("4199809" "4430704" "4481578" "4538224" "4590557" "4623963" "4663707" "4720812" "4803623" "4899136" "5068780" "5083800" "5093915" "5210875" "5237689" "5307497").PN.	USPAT
65	31	5542082.URPN.	USPAT
66	9	("3609697" "4433207" "4471163" "4683553" "4685055" "4866769" "4903296" "4932054" "4959861").PN.	•
67	44	5933497.URPN.	USPAT
68	7	("4471163" "4651279" "4866769" "4888798" "5291598" "5319705" "5499295").PN.	USPAT
69	6	5694469.URPN.	USPAT
70	7	("5113518" "5230052" "5325532" "5371792" "5418918" "5459867" "5504904").PN.	USPAT
71	35	((program or software) adj (id or identifier or number)) with (non\$1volatile adj memory) and @ad<19990923	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
72	26	((build\$1to\$1configure or btc or configure\$1to\$1order or cto) and @ad<19990923) and ((program or software) near3 install\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
73	13	beelitz-alan-e.in.	USPAT; US-PGPUB

. .

.

	Hits	Search Text	DBs
74	98	(((software or program or content) adj (id or identifier)) with (cd\$1rom or disk or (storage adj medium))) and @ad<19990923	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
75	269	· · · · · · · · · · · · · · · · · · ·	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
76		("4558176" "4975898" "5182770" "5295126" "5319627" "5363352" "5436770" "5461220" "5461603" "5541903" "5592452" "5592511" "5687397" "5761301" "5805551" "5835509" "5978350" "6044436" "6094723").PN.	USPAT
77	9	sakamoto-emiko.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
78	45	5058162.URPN.	USPAT
79	17	("4528643" "4677604" "4905163" "4985615" "5010571" "5058162" "5065429" "5191611" "5204897" "5276901" "5291601" "5319705" "5400319" "5412717" "5457746" "5553139" "5646992").PN.	USPAT

,